

TOTAL COUNTS FOR THE YEARS 2000-2017 WITH THE 18 YEAR AVERAGES FOR EACH WOODLAND TYPE IN THE THREE RIGHT-HAND COLUMNS

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	Avg 18	Avg 18	Avg 18	Avg 18	
	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>all areas</i>	<i>Acacia</i>	<i>Burkea</i>	<i>Combretum</i>	
Total species	131	133	137	128	132	132	127	131	134	128	132	147	130	136	142	135	125	134	133	93.4	89.6	92.2	
TOTAL BIRDS	2301	3067	3577	5794	2718	2628	2478	2823	3645	2706	2578	3033	2989	2705	10032	4371	3073	8624	3841.2	1815.1	881.0	1144.2	
less Red-billed Quelea	2283	2865	2786	2674	2485	2364	2397	2708	2768	2661	2507	2825	2377	2705	3092	3256	2968	3038	2708.8	1049.7	771.8	888.3	
Red-billed Quelea	18	202	791	3120	233	264	81	115	877	45	71	208	612	0	6940	1115	105	5586	1132.4	765.4	109.2	255.9	Rooibek-kwelea
Cape Turtle Dove	148	151	170	165	235	120	232	201	191	181	244	253	212	233	343	196	246	271	210.7	53.6	78.1	77.1	Gewone Tortelduif
Barn Swallow	290	241	176	373	90	87	88	124	606	26	135	53	74	252	164	141	65	104	171.6	53.2	29.3	86.6	Europese Swael
Cattle Egret	0	43	465	84	9	26	59	29	204	170	189	70	53	79	39	371	57	189	118.7	74.6	16.5	27.2	Veëreier
Grey Go-away-bird	49	114	80	97	124	109	106	163	75	106	93	70	91	93	121	127	130	94	102.3	43.3	20.6	37.3	Kwêvoël
Rattling Cisticola	87	144	68	50	106	79	67	63	40	101	71	122	105	83	104	110	114	183	94.3	54.7	12.3	26.1	Bosveldtinktinkie
Cape Glossy Starling	50	112	50	57	39	74	65	60	54	95	62	109	93	63	61	103	60	71	71.0	28.4	16.6	24.9	Kleinglansspreeu
Swainson's Spurfowl	44	36	71	81	73	45	77	50	62	104	51	95	71	67	81	60	34	114	67.5	34.8	12.9	19.4	Bosveldfisant
Arrow-marked Babbler	43	65	43	51	47	55	67	102	70	78	53	61	75	74	82	87	80	58	66.1	31.5	17.6	16.5	Pylvlekkatlagter
Spotted Flycatcher	69	40	50	28	59	58	48	102	73	45	38	54	57	88	90	70	80	45	60.8	20.5	22.9	16.9	Europese Vlieëvanger
European Bee-eater	76	32	22	68	23	141	16	25	0	49	29	18	77	53	133	187	105	28	60.1	14.7	18.0	27.0	Europese Byvreter
Neddicky	47	32	56	20	50	70	45	56	45	60	53	61	72	69	64	114	69	73	58.7	11.7	24.1	22.7	Neddikkie
Fork-tailed Drongo	43	86	67	60	67	56	58	89	55	51	58	49	48	40	42	56	40	52	56.5	12.2	22.5	21.1	Mikstertbyvanger
Rufous-naped Lark	63	42	54	59	43	46	69	48	68	57	43	46	42	50	40	68	51	59	52.7	4.4	13.8	34.2	Rooineklewerik
Crested Francolin	32	32	38	36	38	65	44	60	34	59	42	71	43	56	63	49	94	70	51.4	26.9	8.7	15.5	Bospatrys
Crested Barbet	41	62	49	43	52	48	38	48	45	63	49	40	47	45	57	46	56	55	49.1	18.1	13.0	17.5	Kuifkophoukapper
Helmeted Guineafowl	21	62	48	50	34	16	56	47	26	65	74	63	37	8	38	33	30	55	42.4	20.6	9.8	11.2	Gewone Tarentaal
Grey-backed Camaroptera	17	53	30	35	27	21	27	36	23	44	31	58	71	48	50	63	46	64	41.3	20.1	11.7	9.0	Gysrugkwê-kwêvoël
White-browed Scrub Robin	33	37	32	26	37	29	27	42	50	69	31	45	38	51	41	42	45	41	39.8	17.5	11.0	11.2	Gestreepte Wipstert
Woodland Kingfisher	23	26	45	40	22	24	17	11	31	36	64	55	43	60	60	56	53	47	39.6	16.1	9.1	14.1	Bosveldvisvanger
African Grey Hornbill	24	61	35	25	28	40	31	31	32	55	21	41	40	43	48	39	40	70	39.1	9.9	17.1	11.7	Gysneushoringvoël
Red-backed Shrike	42	53	17	61	76	33	26	35	30	21	15	31	18	25	50	27	77	37	37.5	18.2	8.5	10.3	Rooiruglaksman
Red-eyed Dove	3	28	24	25	22	13	33	22	20	33	25	57	35	34	53	43	95	74	35.5	16.4	9.9	8.8	Grootringduif
Tawny-flanked Prinia	19	23	36	32	37	44	39	35	32	47	29	31	34	27	39	38	39	46	34.8	13.9	11.5	9.2	Bruinsylangstertjie
Laughing Dove	43	13	57	50	42	23	33	18	26	32	25	38	10	2	132	14	18	12	32.7	10.1	11.7	10.8	Rooiborsduifie
Southern Boubou	13	25	22	47	33	24	22	22	15	43	16	34	56	49	38	33	45	41	32.1	25.2	1.0	5.6	Suidelike Waterfiskaal
Burchell's Starling	27	18	10	28	6	12	18	11	31	30	21	50	20	18	60	83	32	71	30.3	16.7	7.9	5.5	Grootglansspreeu
Burchell's Coucal	28	40	31	25	34	23	46	35	14	1	39	59	45	19	23	37	5	24	29.3	18.1	4.7	6.7	Gewone Vleioerie
Willow Warbler	51	43	30	36	53	36	17	28	20	8	21	22	20	28	23	14	38	19	28.2	14.6	9.1	4.2	Hofsanger

TOTAL COUNTS FOR THE YEARS 2000-2017 WITH THE 18 YEAR AVERAGES FOR EACH WOODLAND TYPE IN THE THREE RIGHT-HAND COLUMNS

Brown-crowned Tchagra	28	40	26	22	34	15	17	28	12	29	23	36	24	29	30	27	35	34	27.2	9.7	9.8	7.2	Rooivlerktjagra
S Masked Weaver	9	2	6	16	14	30	27	35	9	5	28	38	15	32	47	5	131	27	26.4	9.6	2.0	14.8	Swartkeelgeelvink
S Yellow-billed Hornbill	11	23	24	27	27	15	17	35	35	32	34	31	15	20	24	37	38	30	26.4	10.6	6.1	9.4	Geelbekneushoringvoël
Black-collared Barbet	16	38	27	14	29	36	35	55	17	24	33	18	13	11	35	23	34	14	26.2	9.4	8.5	7.9	Rooikophoutkapper
White-winged Widowbird	9	97	7	6	6	39	18	33	25	3	43	10	1	52	24	33	32	27	25.9	14.8	1.9	8.3	Witvlerkflap
Dark-capped Bulbul	6	16	8	6	16	11	18	16	24	31	26	30	45	21	40	47	45	40	24.8	6.2	9.3	9.1	Swartoogtiptol
Cinnamon-breasted Bunting	40	19	20	9	25	16	16	20	35	57	16	7	1	21	35	34	43	25	24.4	1.6	11.7	11.2	Klipstreepkoppie
Blue Waxbill	17	29	18	14	32	39	42	62	20	37	13	14	16	2	18	23	16	24	24.2	9.6	9.4	4.9	Gewone Blousysie
White-br Sparrow-Weaver	38	34	35	37	15	34	28	16	16	23	26	27	13	11	19	20	11	12	23.1	20.1	.2	2.5	Koringvoël
Black-crowned Tchagra	20	13	28	10	14	27	15	33	18	27	30	17	26	23	24	20	33	29	22.6	2.5	12.1	8.0	Swartkroontjagra
Crowned Lapwing	28	13	24	34	6	26	26	23	18	20	17	50	30	12	23	24	17	6	22.0	16.0	1.3	4.5	Kroonkiewiet
Magpie Shrike	14	12	39	14	5	16	13	18	15	27	25	39	20	29	16	38	20	26	21.4	9.6	3.3	8.4	Langstertlaksman
Chinspot Batis	17	12	8	18	41	26	13	19	9	19	27	20	14	18	18	8	31	9	18.2	6.0	6.7	5.5	Witliesbosbontrokkie
Long-billed Crombec	24	22	9	31	19	16	8	20	12	7	16	22	18	19	21	16	24	18	17.9	6.4	6.3	5.0	Bosveldstompstert
Southern Black Tit	7	8	8	26	13	18	11	27	11	7	30	16	14	22	33	20	19	31	17.9	2.2	10.6	5.0	Gewone Swartmees
Black-headed Oriole	11	12	21	9	18	27	21	34	11	25	10	13	13	17	10	32	18	20	17.8	2.6	9.8	5.3	Swartkopwielewaal
Yellow-fronted Canary	51	22	6	7	13	38	11	26	14	10	8	8	5	27	13	24	25	9	17.6	1.1	8.5	8.0	Geeloogkanarie
Zitting Cisticola	25	30	14	15	0	2	6	5	1	31	24	15	15	10	30	36	10	27	16.4	5.6	1.3	9.3	Landeryklopkloppie
Red-chested Cuckoo	3	4	26	15	18	11	45	3	16	11	1	47	40	18	4	3	1	26	16.2	7.5	5.6	2.9	Piet-my-vrou
Green Wood-hoopoe	1	11	23	20	20	17	22	6	0	3	40	35	20	6	9	12	24	22	16.2	4.7	6.7	4.9	Gewone Kakelaar
Natal Spurfowl	8	8	18	14	27	18	12	22	16	8	23	14	22	14	27	17	12	9	16.0	10.3	2.9	2.8	Natalse Fisant
African Palm Swift	0	86	4	7	2	4	18	10	5	4	38	11	9	36	26	1	17	0	15.5	8.6	.9	5.2	Palmwindswael
Black-backed Puffback	13	18	23	22	36	20	23	14	11	21	8	12	8	4	2	8	8	14	14.7	2.4	8.9	3.3	Sneebal
Red-breasted Swallow	3	7	9	19	24	19	26	40	16	9	2	13	12	9	3	12	20	12	14.2	3.5	2.3	8.4	Rooiborsswael
Yellow-fronted Tinkerbird	9	14	17	7	22	23	14	24	2	14	10	9	2	5	10	10	22	16	12.8	1.9	7.8	2.9	Geelblestinker
Southern Ostrich	2	4	8	18	12	24	51	25	6	10	7	4	2	6	9	8	20	13	12.7	3.4	3.3	5.8	Volstruis
Emerald-spotted Dove	4	7	15	9	20	2	17	9	16	12	22	20	22	8	7	6	4	18	12.1	3.5	7.8	.7	Groenvlekduifie
Wattled Starling	0	74	8	64	6	0	0	0	17	0	0	0	0	0	36	0	1		11.5	4.0	3.1	3.7	Lelspreeu
Orange-br Bush-shrike	2	6	13	10	17	13	12	11	10	10	12	16	15	8	6	5	15	25	11.4	7.2	1.3	2.8	Oranjeborboslaksman
Brown-hooded Kingfisher	14	19	11	8	11	12	13	7	6	11	15	18	9	6	9	10	13	13	11.4	7.0	3.0	1.3	Bruinkopvisvanger
White Helmet-shrike	36	0	8	0	30	14	13	37	8	0	6	5	0	1	0	16	1	16	10.6	.1	6.4	4.1	Withelmilaksman
Yellow-crowned Bishop	9	0	0	27	0	0	12	55	25	0	0	0	3	0	4	36	0	3	9.7	7.4	.0	2.3	Goudgeelvink
Common House Martin	4	54	14	8	0	0	0	16	12	0	6	17	9	13	0	0	0	20	9.6	5.0	1.5	2.8	Huisswael
Black Cuckoo-shrike	8	7	3	14	17	10	5	7	11	6	11	7	8	13	8	15	8	11	9.4	1.2	4.7	3.4	Swartkatakoeroe
Marico Flycatcher	7	19	15	17	21	13	3	6	6	15	3	13	2	9	5	3	6	4	9.2	4.7	1.6	2.7	Maricovlieëvanger
Red-faced Mousebird	17	7	4	5	2	8	10	7	4	19	13	0	1	37	7	16	3	6	9.2	3.9	2.0	3.3	Rooiwangmuisvoël
Golden-breasted Bunting	17	1	4	3	9	4	6	9	17	18	4	5	7	8	17	10	15	8	9.0	.5	5.4	3.2	Rooirugstreepkoppie

TOTAL COUNTS FOR THE YEARS 2000-2017 WITH THE 18 YEAR AVERAGES FOR EACH WOODLAND TYPE IN THE THREE RIGHT-HAND COLUMNS

Speckled Mousebird	0	11	2	7	13	3	9	19	5	3	2	12	17	18	11	4	15	7	8.8	6.1	.6	2.1	Gevlekte Muisvoël
Red-billed Hornbill	11	2	7	6	13	15	2	16	7	8	7	7	4	4	10	13	9	18	8.8	5.5	1.2	2.1	Rooibekneushoringvoël
White-throated Robin-Chat	2	8	5	3	12	3	2	8	6	5	7	8	11	20	17	12	12	17	8.7	6.4	1.0	1.3	Witkeeljanfrederik
Common Swift	0	1	33	49	0	3	0	0	6	0	1	0	0	42	13	0	4	0	8.4	.8	2.3	5.3	Europese Windswael
White-bellied Sunbird	8	8	4	7	33	11	1	13	3	10	4	6	7	2	9	6	9	11	8.4	3.1	2.9	2.3	Witpenssuikerbekkie
Crimson-breasted Shrike	14	16	11	9	4	14	7	8	5	12	9	14	7	6	2	4	3	4	8.3	5.1	.8	2.2	Rooiborslaksman
Red-crested Korhaan	10	6	8	5	22	6	9	5	8	9	4	2	6	9	12	7	12	7	8.2	2.1	1.2	4.8	Boskorhaan
Diederik Cuckoo	4	5	7	10	7	0	13	0	9	30	6	12	9	8	7	4	1	9	7.8	3.0	1.7	3.0	Diederikkie
Amur Falcon	8	0	0	4	0	1	0	6	1	1	11	23	2	50	17	8	2	7	7.8	2.6	2.3	3.0	Oost Rooipoortvalk
Common Waxbill	12	2	21	0	2	5	5	3	2	4	9	46	4	12	1	2	2	5	7.6	5.3	1.0	1.3	Rooibeksysie
Greater Striped Swallow	2	0	1	6	17	2	62	4	1	4	1	2	4	2	4	5	12	6	7.5	1.9	3.3	2.0	Grootstreepswael
Brubru	16	2	1	5	22	6	6	10	15	10	12	8	4	6	1	3	4	3	7.5	1.2	3.3	3.0	Bontroklaksman
Chestnut-v Tit-babbler	3	17	6	9	10	14	6	7	3	4	3	9	12	4	8	8	4	7	7.5	6.0	.7	.7	Bosveldtjerkik
Afr Paradise Flycatcher	3	5	12	6	3	5	9	9	2	1	6	6	9	10	11	13	14	7	7.3	1.1	4.6	1.5	Paradysvlieëvanger
Violet-backed Starling	3	12	0	4	0	16	11	9	10	17	9	12	3	1	1	4	5	4	6.7	1.2	1.6	3.9	Witborsspreeu
Burnt-necked Eremomela	10	7	10	6	24	2	2	5	5	5	0	8	12	3	4	2	1	14	6.7	4.5	1.3	.8	Bruinkeelbossanger
African Quailfinch	4	32	5	5	3	20	3	6	2	1	0	2	2	5	9	8	9	2	6.6	1.6	2.0	2.7	Gewone Kwartelvinkie
Red-billed Oxpecker	0	4	0	1	11	4	3	9	5	0	13	2	2	16	17	11	9	5	6.2	1.1	2.5	2.6	Rooibekrenostervoel
Lesser Striped Swallow	5	11	9	10	12	7	2	6	22	7	5	0	3	2	1	0	3	3	6.0	2.0	1.4	2.4	Kleinstreepswael
Sabota Lark	28	2	12	11	2	3	4	3	9	0	3	4	5	5	6	4	5	2	6.0	.3	.5	5.2	Sabotalewerik
Black-shouldered Kite	1	12	9	9	1	10	5	2	3	9	7	9	3	2	4	4	9	2	5.6	1.9	1.2	2.5	Blouvalk
Barred Wren-Warbler	11	6	14	2	9	9	0	2	2	6	3	11	3	6	8	2	0	4	5.4	4.0	.1	1.4	Gebande Sanger
African Cuckoo	0	4	5	2	11	0	4	0	0	42	3	6	8	1	2	1	2	2	5.1	1.8	2.3	1.0	Afrikaanse Koekoek
S Black Flycatcher	11	2	8	6	3	1	2	3	17	4	4	7	8	2	2	2	6	1	4.9	.6	3.0	1.4	Swartvlieëvanger
Coqui Francolin	6	2	4	5	3	2	2	3	2	10	2	1	4	5	3	7	10	17	4.9	.3	2.6	2.1	Swempie
Cape White-eye	9	7	1	8	4	6	1	3	2	4	5	8	3	3	7	8	1	4	4.7	.9	2.4	1.4	Kaapse Glasogie
S Grey-headed Sparrow	3	4	1	0	1	0	3	2	6	10	10	10	1	5	6	9	0	13	4.7	2.3	1.8	.4	Gryskopmossie
White-rumped Swift	0	18	3	2	4	8	0	8	2	1	1	7	5	4	4	0	12	0	4.4	1.1	.8	2.3	Witkruiswindswael
Golden-tailed Woodpecker	0	7	5	3	2	8	4	6	2	2	5	1	4	7	4	3	10	5	4.4	2.4	1.4	.5	Goudstertspieg
Jameson's Firefinch	4	4	0	10	13	6	2	16	1	2	1	2	0	1	3	3	2	6	4.2	1.1	1.6	1.5	Jamesonse Robbin
Bearded Woodpecker	3	5	4	1	2	3	6	3	2	2	4	8	3	1	3	10	5	8	4.1	1.4	1.5	1.1	Baardspieg
Little Swift	4	11	0	1	5	3	0	1	4	0	1	5	4	1	0	1	29	0	3.9	1.7	.7	1.4	Kleinwindswael
Pallid Flycatcher	9	5	10	7	2	2	1	1	0	6	4	6	3	1	4	5	1	0	3.7	.4	1.8	1.6	Muiskleurvlieëvanger
Black Cuckoo	0	5	7	6	4	3	8	1	6	0	0	9	4	1	2	1	1	8	3.7	2.0	.9	.8	Swartkoekoek